


HCV-N-G2a (residues 2-119)^{GST}

 Hepatitis C Virus Nucleocapsid Genotype 2a recombinant, *E. coli*

Cat. No.	Amount
PR-1133	100 µg

For general laboratory use.

Shipping: shipped on gel packs

Storage Conditions: store at -20 °C

Additional Storage Conditions: avoid freeze/thaw cycles

Shelf Life: 12 months

Purity: > 95 % (SDS-PAGE)

Form: liquid (Supplied in 50 mM Tris-HCl pH 8.0 and 5 mM EDTA)

Applications:

Antigen in ELISA and Western blots, excellent antigen for detection of HCV with minimal specificity problems.

Description:

The protein contains the HCV core nucleocapsid immunodominant regions, amino acids: 1-102. The protein is fused to a GST tag at the N-Terminus. Hepatitis C Virus core proteins are purified by proprietary chromatographic techniques.

Background: The hepatitis C virus (HCV) core protein represents the first 191 amino acids of the viral precursor polyprotein and is cotranslationally inserted into the membrane of the endoplasmic reticulum (ER). Hepatitis C virus (HCV) core is a viral structural protein, it also participates in some cellular processes, including transcriptional regulation. However, the mechanisms of core-mediated transcriptional regulation remain poorly understood. Hepatitis C virus (HCV) core protein is thought to contribute to HCV pathogenesis through its interaction with various signal transduction pathways. In addition, HCV core antigen is a recently developed marker of hepatitis C infection. It is remarkably efficient at establishing persistent infection, suggesting that it has evolved one or more strategies aimed at evading the host immune response. T cell responses, including interferon-gamma production, are severely suppressed in chronic HCV patients. The HCV core protein has been previously shown to circulate in the bloodstream of HCV-infected patients and inhibit host immunity through an interaction with gC1qR.

Specificity: Immunoreactive with sera of HCV-infected individuals.

Selected References:

Kang *et al.* (2005) Proteomic profiling of cellular proteins interacting with the hepatitis C virus core protein. *Proteomics* **5**:2227.

Fukutomi *et al.* (2005) Hepatitis C virus core protein stimulates hepatocyte growth: Correlation with upregulation of wnt-1 expression. *Hepatology* **41**:1096.

Gaudy *et al.* (2005) Usefulness of the hepatitis C virus core antigen assay for screening of a population undergoing routine medical checkup. *J. Clin. Microbiol.* **43**:1722.

Lindh *et al.* (2005) Monitoring treatment response by the hepatitis C virus core antigen assay. *Eur. J. Clin. Microbiol. Infect. Dis.* **24**:230.

Boni *et al.* (2005) Hepatitis C Virus Core Protein Acts as a trans-Modulating Factor on Internal Translation Initiation of the Viral RNA. *J. Biol. Chem.* **280**:17737.